



PIP

EYE & FACE PROTECTION

www.pipcanda.ca



DYNAMIC, THE REFERENCED LEADER FOR PPE IN CANADA, IS NOW A PROUD PART OF THE PIP GLOBAL FAMILY

Protective Industrial Products, Inc. (PIP) was initially established in 1984 as a supplier of work gloves. Today we are a global provider of a vast array of consumable personal protective equipment to multiple industries and channels of distribution.

Our Dynamic branded safety equipment are proudly made to meet all the safety regulations and/or standards required in Canada, the United States, Europe and Latin America. These products must be certified by multiple certification bodies such as CSA, ANSI, CE, NIOSH and when permitted, we are proud to display these logos on our products. This ensures that you can place your trust in products that meet the highest possible standards of quality.



PRODUCTS & PROGRAMS THAT SUPPORT YOUR BUSINESS OBJECTIVES

Our manufacturing facilities in Canada are committed to bringing to market products that provide the best possible comfort, fit, and value. But bringing you the best doesn't stop there. Our dedicated team of product managers and specialists have over 100 years of collective experience, ensuring that you receive expert support and enabling you to conduct trainings and risk assessment in the workplace,



in addition to helping your safety committee select the proper PPE. Furthermore, we are continuously developing our website that is second to none, thanks to powerful yet intuitive tools such as our product selector and 3SP™ assessment.

At PIP Canada we strive to design and produce the best PPE in the market, and make sure that all employees arrive home safe and sound everyday.



BRINGING THE
BEST OF THE WORLD
TO YOU®

CSA Z94.3-20 AND ANSI/ISEA Z87.1 CERTIFIED

These standards prescribe the design, performance specs and markings of eye and face safety products. Testing may include the following parameters:



IMPACT



DUST



CHEMICAL
SPLASH



UV LIGHT AND
BRIGHT GLARE



HEAT AND
SPARKS



PARTICULATES

AVAILABLE LENS COATINGS



A permanently bonded coating that extends the life of the lens, without anti-fog protection.



ANTI-SCRATCH: Extends lens life in abrasive environments.



ANTI-UV: Absorbs more than 99.9% of harmful ultraviolet radiation.



ANTI-STATIC: Reduces dust and particulate attraction.



A permanently bonded coating that extends the life of the lens.



ANTI-FOG: Resists fogging and improves vision in humid environments.



ANTI-SCRATCH: Extends lens life in abrasive environments.



ANTI-UV: Absorbs more than 99.9% of harmful ultraviolet radiation.



ANTI-STATIC: Reduces dust and particulate attraction.



A premium anti-fog treatment that performs in even the harshest environments. The VPP technology prevents fogging of the lens even after repeated cleaning. This unique chemical coating also improves longevity with extra protection against abrasions.



ANTI-FOG: Resists fogging and improves vision in humid environments.



ANTI-SCRATCH: Extends lens life in abrasive environments.



ANTI-UV: Absorbs more than 99.9% of harmful ultraviolet radiation.



ANTI-STATIC: Reduces dust and particulate attraction.

PRODUCT STYLES

Full Frame – Popular styling for outdoor construction work

Semi-Frameless – Wraparound styling with improved peripheral vision

Frameless – Lightweight with unobstructed peripheral vision and fit

Foam Gasket – Sealed to keep out dust and airborne particles

Over-the-Glass – Designed to fit over prescription eyewear

Goggles – Protection from projectiles, impact and liquid splash

Lens Selection Chart

LIGHT TRANSMISSION: Is the amount of light reaching the eye after passing through a filter.

LIGHT ABSORPTION: Is the amount of light which is absorbed or eliminated by passing through a lens.










FILTERS: Are lenses that reduce or eliminate light intensity. The light spectrum covers ultraviolet, visible and infra-red radiation.

VISIBLE LIGHT: Is radiant energy that is visible to the human eye and having a wavelength between 380 nm to 760 nm.

INFRARED RADIATION: Is radiant energy or electromagnetic radiation of large wavelengths between 760 nm to 1000 nm.

ULTRAVIOLET RADIATION: Is radiant energy or electromagnetic radiation of short wavelengths between 100 nm to 380 nm.

Lens Color Chart

LENS COLOUR	DESCRIPTION	VISIBLE LIGHT TRANSMISSION %	UV LIGHT TRANSMISSION %
 CLEAR	For indoor or outdoor applications where light filtration is not required.	90% ± 1%	0.005%
 AMBER	For low light applications where contrast enhancement is required. Also reduces low energy blue light.	99% ± 0.05%	0.05%
 BLUE	For work areas where high levels of yellow light is present, such as sodium vapor lighting.	47% ± 1%	0.05%
 SMOKE	For outdoor applications where sunlight and glare cause eye strain and fatigue. Not for use when infrared protection is required.	11% ± 1%	0.05%
 I/O MIRROR	For indoor/outdoor applications. Reduces glare from scattered light or low energy visible light.	54% ± 1%	0.05%
 MIRROR	For outdoor applications. Reduces glare from scattered high energy visible light.	12% ± 1%	0.05%
 POLARIZED SMOKE	For outdoor applications. Reduces extreme glare from excessive scattered high energy visible light.	12% ± 1%	0.05%
 POLARIZED COPPER	When facing high energy sun-light producing high levels of glare while driving vehicles or mobile equipment. Also reduces blue light to increase contrast.	13% ± 1%	0.05%
 POLARIZED BLUE MIRROR	For outdoor applications. Reduces extreme glare from highly reflective surfaces such as lakes, rivers, snow.	11% ± 1%	0.05%

Dyna-Sun™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EPDS12A



EPDS12B






EPDS12C

HIGH PERFORMANCE SUNGLASSES

FEATURES & BENEFITS

- ▶ Lightweight contemporary design with soft foam on the nose piece for added comfort and stability
- ▶ Double lens system with 8.0 base curve for superior optical quality
- ▶ Co-injected non-slip TPR temples for added comfort
- ▶ Offers great protection against dangerous UV rays
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDS12A	 SMOKE	BLACK FRAME / GREY NOSE PIECE	MICRO-FIBER CLEANING POUCH
EPDS12B	 COPPER	TRANSLUCENT BROWN FRAME / BLACK NOSE PIECE	MICRO-FIBER CLEANING POUCH
EPDS12C	 BLUE MIRROR	TRANSLUCENT GREY FRAME / BLACK TPR NOSE PIECE	MICRO-FIBER CLEANING POUCH

Dyna-Sun™ Signature



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPDSM15



EPDSW14

HIGH PERFORMANCE SUNGLASSES

FEATURES & BENEFITS

- ▶ Stylish and robust design with unique graphics on temples
- ▶ Double lens system with 8.0 base curve for superior optical quality
- ▶ Cushions on nose bridge for extra comfort and increased stability
- ▶ Offers great protection against dangerous UV rays
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDSM15	SMOKE	BLACK FRONT / DIAMOND PLATE GRAPHIC TEMPLE	MICRO-FIBER CLEANING POUCH
EPDSW14	SMOKE	WHITE FRONT / ANTIQUE MAYA GRAPHIC TEMPLE	MICRO-FIBER CLEANING POUCH

Dyna-Ray™ Polarized



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPDP11A



EPDP11C

EXTREME GLARE POLARIZED SUNGLASSES

FEATURES & BENEFITS

- ▶ Lightweight semi-frameless design with polarized lenses that eliminate glare and eye fatigue
- ▶ Increases visual acuity and contrast of objects and surroundings
- ▶ Dual-injection TPR temples for maximum comfort and stability
- ▶ Soft Brownguard foam for extra protection
- ▶ Omni-Fit bridge for more comfort and better fit
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDP11A	POLARIZED SMOKE	BLACK FRAME / GREY TPR	MICRO-FIBER CLEANING POUCH
EPDP11B	POLARIZED COPPER	TRANSLUCENT BROWN FRAME / BLACK TPR	MICRO-FIBER CLEANING POUCH
EPDP11C	POLARIZED BLUE MIRROR	TRANSLUCENT GREY / BLACK TPR	MICRO-FIBER CLEANING POUCH

Falcon™

Dyna Shield



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP810C



EP810A

EXCLUSIVE 3-POSITION ADJUSTMENT FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Semi-frameless design
- ▶ Lightweight wraparound 9 base lens
- ▶ Ratchet temples, dual-shot temples
- ▶ Ultra soft silicone nose pad for more comfort and better fit
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP810C	CLEAR	RED & BLACK
EP810S	SMOKE	RED & BLACK
EP810A	AMBER	RED & BLACK
EP810IO*	I/O MIRROR	RED & BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Hawk™

Dyna Shield



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP825C



EP825IO

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Lightweight 9 base lens
- ▶ Flexi-fit adjustable nose bridge system
- ▶ Dual-shot temples for comfort and stability
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP825C	CLEAR	RED & BLACK
EP825S	SMOKE	RED & BLACK
EP825A	AMBER	RED & BLACK
EP825IO*	I/O MIRROR	RED & BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Osprey™

Dyna Shield



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP845C



EP845S

ADJUSTABLE LENS ANGLE FOR INCREASED FRONTAL COVERAGE

FEATURES & BENEFITS

- ▶ Adjustable lens angle for increased frontal coverage
- ▶ Lightweight 9 base lens with black & red frame
- ▶ Flexi-fit adjustable nose bridge system
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP845C	CLEAR	RED & BLACK
EP845S	SMOKE	RED & BLACK
EP845A	AMBER	RED & BLACK
EP84510*	I/O MIRROR	RED & BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Spider™

Dyna Shield



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP875C



EP875A

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Popular EZ-ON™ temple system
- ▶ Lightweight 9 base lens with black & red frame
- ▶ Flexi-fit adjustable nose bridge system
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP875C	CLEAR	RED & BLACK
EP875S	SMOKE	RED & BLACK
EP875A	AMBER	RED & BLACK
EP87510*	I/O MIRROR	RED & BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Hummingbird™

Dyna Shield



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP895C



EP895IO

ULTRA LIGHTWEIGHT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Ultra lightweight 9.5 base curve wraparound lens
- ▶ Contemporary dual-lens design
- ▶ Double injection temple arms and soft nose piece to prevent slipping
- ▶ Fits a wide variety of different faces
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP895C	CLEAR	BLACK & WHITE
EP895S	SMOKE	BLACK & WHITE
EP895A	AMBER	BLACK & WHITE
EP895IO*	I/O MIRROR	BLACK & WHITE

* Indoor/Outdoor Mirror lenses are not anti-fog

Warrior™

4A REVÊTEMENT COATING



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP100BC



EP100MGS

FLEXI-FIT ADJUSTABLE SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Adjustable swivel nose pads provide incomparable fit on all faces
- ▶ Modern ergonomic design for maximum comfort
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ Comfortable curved temple ends
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

LENS COLOR	METALLIC GREY FRAME	BLACK FRAME
CLEAR	EP100MGC	EP100BC
SMOKE	EP100MGS	EP100BS
AMBER	EP100MGA	EP100BA
I/O MIRROR	EP100MGIO*	EP100BIO*

* Indoor/Outdoor Mirror lenses are not anti-fog

Shooting Star™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP150C



EP150A

FLEXI-FIT ADJUSTABLE SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Frame and lens made of ultra-resistant polycarbonate
- ▶ Modern ergonomic design for maximum comfort
- ▶ Easy lens replacement system
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP150C	CLEAR	SMOKE
EP150S	SMOKE	SMOKE
EP150A	AMBER	SMOKE
EP150IO*	I/O MIRROR	SMOKE

* Indoor/Outdoor Mirror lenses are not anti-fog

Thunder™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP250BA



EP250BIO

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Originally engineered for safety officers
- ▶ 9 base curve panoramic lens for a wide and unobstructed field of view
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ Soft-touch comfort pads on temples that ensure a comfortable fit
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP250BC	CLEAR	BLACK
EP250BS	SMOKE	BLACK
EP250BA	AMBER	BLACK
EP250BIO*	I/O MIRROR	BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Cyclone II™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP310BIO



EP310BLS

UNIVERSAL COMFORT BRIDGE SYSTEM

FEATURES & BENEFITS

- ▶ Unique dual lens styling in a single-piece design
- ▶ Frames are available in either blue or black
- ▶ Straight temples with soft rubber surface for extra comfort
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

LENS COLOR	BLACK FRAME	BLUE FRAME
CLEAR	EP310BC	EP310BLC
SMOKE	EP310BS	EP310BLS
AMBER	EP310BA	EP310BLA
I/O MIRROR	EP310BIO*	EP310BLIO*

* Indoor/Outdoor Mirror lenses are not anti-fog

Racer™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP350LGC



EP350RS



EP350BS

SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Modern dual-lens design with excellent comfort and adjustability
- ▶ Dual injection temple arms and nose piece prevent slipping
- ▶ Angle adjustment temple for better coverage and fit
- ▶ Adjustable/removeable temple retaining strap
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

LENS COLOR	RED/BLACK FRAME	BLUE/BLACK FRAME	LIME-GREEN/BLACK FRAME
CLEAR	EP350RC	EP350BC	EP350LGC
SMOKE	EP350RS	EP350BS	EP350LGS
AMBER	EP350RA	EP350BA	EP350LGA
I/O MIRROR	EP350RIO*	EP350BIO*	EP350LGIO*

* Indoor/Outdoor Mirror lenses are not anti-fog

Techno™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP850S



EP850BT

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nose piece
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP850C	CLEAR	CLEAR
EP850S	SMOKE	SMOKE
EP850A	AMBER	AMBER
EP850IO*	I/O MIRROR	INDOOR/OUTDOOR
EP850BT	BLUE TINT	BLUE TINT

* Indoor/Outdoor Mirror lenses are not anti-fog

Mini-Tech™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP855A



EP855IO

FLEXI-FIT SOFT NOSE PIECE SYSTEM FOR SMALL/NARROW FACES

FEATURES & BENEFITS

- ▶ Designed for smaller and more narrow faces
- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nose piece
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP855C	CLEAR	CLEAR
EP855S	SMOKE	SMOKE
EP855A	AMBER	AMBER
EP855IO*	I/O MIRROR	INDOOR/OUTDOOR

* Indoor/Outdoor Mirror lenses are not anti-fog


Curve™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP505C



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP500IO

UNIVERSAL COMFORT BRIDGE SYSTEM


FEATURES & BENEFITS

- ▶ Popular low-profile design
- ▶ High 9 base curve for better coverage and wider field of view
- ▶ Made of lightweight non-conductive high impact polycarbonate
- ▶ Absorbs more than 99.9% of harmful UV light

PART NO	LENS COLOR	TEMPLE COLOR
EP505 SERIES	4A COATING	
EP505C	CLEAR	CLEAR
EP500 SERIES	3A COATING	
EP500C	CLEAR	SMOKE
EP500S	SMOKE	SMOKE
EP500A	AMBER	AMBER
EP500IO*	I/O MIRROR	SMOKE

* Indoor/Outdoor Mirror lenses are not anti-fog

Solus™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP550S



EP550C

UNIVERSAL COMFORT BRIDGE SYSTEM

FEATURES & BENEFITS

- ▶ Wide field single lens design offering unobstructed vision
- ▶ Made of lightweight high impact polycarbonate
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	TEMPLE COLOR
EP550C	CLEAR	SMOKE
EP550S	SMOKE	SMOKE
EP550A	AMBER	AMBER
EP550IO*	I/O MIRROR	SMOKE

* Indoor/Outdoor Mirror lenses are not anti-fog

Defender™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP600BC



EP600BS

UNIVERSAL COMFORT BRIDGE SYSTEM

FEATURES & BENEFITS

- ▶ Lightweight materials for more comfort
- ▶ Made of lightweight high impact polycarbonate, offering a wide field of view
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	TEMPLE COLOR
EP600BC	CLEAR	CLEAR
EP600BS	SMOKE	SMOKE

* Indoor/Outdoor Mirror lenses are not anti-fog

Firebird™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP800BT



EP800A

UNIVERSAL COMFORT BRIDGE SYSTEM


FEATURES & BENEFITS

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Hard nose piece
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	TEMPLE COLOR
EP800C	CLEAR	CLEAR
EP800S	SMOKE	SMOKE
EP800A	AMBER	AMBER
EP800IO*	I/O MIRROR	INDOOR/OUTDOOR
EP800BT	BLUE TINT	BLUE TINT

* Indoor/Outdoor Mirror lenses are not anti-fog

Ladies Mini™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP325OC



EP325PC



EP325GC

UNIVERSAL COMFORT BRIDGE SYSTEM

FEATURES & BENEFITS

- ▶ Women's specific spectacle, designed for narrower and smaller faces
- ▶ Contemporary frames are available in three vivid colors
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

LENS COLOR	PINK TEMPLE	GREEN TEMPLE	ORANGE TEMPLE
CLEAR	EP325PC	EP325GC	EP325OC
SMOKE	EP325PS	EP325GS	EP325OS
AMBER	EP325PA	EP325GA	EP325OA
I/O MIRROR	EP325PI0*	EP325GI0*	EP325OI0*

* Indoor/Outdoor Mirror lenses are not anti-fog

Renegade Readers™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP400TGC1.5



EP400TGC2.5

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ European inspired eyewear
- ▶ 8.50 base curve dual-lens design for wraparound coverage
- ▶ Adjustable soft nose piece for increased comfort
- ▶ Adjustable length temple arms
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	FRAME COLOR	DIOPTRER
EP400TGC1.5	CLEAR	TRANSLUCENT GREY	1.5
EP400TGC2.0	CLEAR	TRANSLUCENT GREY	2.0
EP400TGC2.5	CLEAR	TRANSLUCENT GREY	2.5

* Indoor/Outdoor Mirror lenses are not anti-fog

OTG Extra™



SP CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP750IO



Exclusive and unique EZ-ON™ temple system

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Premium over-the-glass (OTG) spectacles
- ▶ Extra-large size to fit over most types of prescription eyewear
- ▶ Ultra soft nosepiece accommodates all nose configurations
- ▶ Adjustable temples allow the possibility to adjust the lens up and down for better vision
- ▶ Unique EZ-ON™ temple system for exceptional comfort
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP750C	CLEAR	BLACK
EP750S	SMOKE	BLACK
EP750A	AMBER	BLACK
EP750IO*	I/O MIRROR	BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Visitor™



SP CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP700C

UNIVERSAL COMFORT BRIDGE SYSTEM

FEATURES & BENEFITS

- ▶ These OTG spectacles offer premium protection to plant visitors
- ▶ Large lens that provides a wide viewing field
- ▶ Fits over most prescription eyewear
- ▶ Exclusive interlocking sideshield offers all-around protection from flying particles
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	SIDESHIELDS COLOR
EP700C	CLEAR	CLEAR

* Indoor/Outdoor Mirror lenses are not anti-fog

Opti-Seal™



ANTI-FOG ANTI-SCRATCH ANTI-UV ANTI-STATIC

CSA CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPD6C17



EPD6S17

MULTI-FIT ADJUSTABLE NOSE PIECE

FEATURES & BENEFITS

- ▶ Cushioned foam sealing gasket for increased protection and comfort
- ▶ Adjustable nosepiece accommodates all facial types and provides a perfect fit
- ▶ Dual injection temples with non-slip soft TPR for optimal comfort
- ▶ Comfortable TPR on nose bridge for increased stability
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	DESCRIPTION
EPD6C17	CLEAR	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND CLEAR ANTI-FOG LENS
EPD6S17	SMOKE	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND SMOKE ANTI-FOG LENS
EPD6A17	AMBER	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND AMBER ANTI-FOG LENS
EPD6I017*	I/O MIRROR	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND MIRROR/I/O LENS

* Indoor/Outdoor Mirror lenses are not anti-fog

Bushman™

NOT CERTIFIED BY CSA



EP775W

WIRE MESH SPECTACLES

FEATURES & BENEFITS

- ▶ Wraparound nylon frame offering very good fit and comfort
- ▶ Wire mesh screen protects against large flying debris and does not fog

PART NO	LENS COLOR	FRAME COLOR
EP775W	BLACK WIRE MESH	BLACK

Dyna-Seal™

Dyna Shield



CS CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EPDGC18C



EPDGC18S



EPDGC18C & EPDGC18STR



EPDGC18IO & EPDGC18STR

INDIRECT VENTED GOGGLE CAPABILITY

FEATURES & BENEFITS

- ▶ Fully sealed eyewear with soft rubber gasket
- ▶ Modern lens geometry for superior optical quality
- ▶ Designed to block out dust, particles, and chemicals
- ▶ Removable/adjustable length stability strap clips on to the temples
- ▶ Converts into an indirect vented goggle with elastic Neoprene strap (sold separately)
- ▶ Front angle adjustment for a precise and secure fit
- ▶ Angle clip made of strong polycarbonate
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	DESCRIPTION
EPDGC18C	CLEAR	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, CLEAR ANTI-FOG "N"
EPDGC18S	SMOKE	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, SMOKE ANTI-FOG "N"
EPDGC18A	AMBER	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, AMBER ANTI-FOG "N"
EPDGC18IO*	I/O MIRROR	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, MIRROR I/O
EPDGC18STR		EPDGC18 ADJUSTABLE BLACK FR HEADBAND

* Indoor/Outdoor Mirror lenses are not anti-fog

Fusion™ & Fusion Plus™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EP650IO



EP650GA



Exclusive and unique
EZ-ON™ temple system

FLEXI-FIT SOFT NOSE PIECE SYSTEM

FEATURES & BENEFITS

- ▶ Specialty spectacles with unique EZ-ON™ temples apply minimal pressure for maximum comfort
- ▶ Large 9° base curve with double lens design molded in one piece
- ▶ Full coverage protection and an extra wide viewing field
- ▶ High impact resistant polycarbonate lens material
- ▶ 4A Coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Plus™ version available with a foam padding for better protection against dust and debris

PART NO WITHOUT FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP650C	CLEAR	BLACK
EP650S	SMOKE	BLACK
EP650A	AMBER	BLACK
EP650IO*	I/O MIRROR	BLACK
PART NO WITH FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP650GC	CLEAR	BLACK
EP650GS	SMOKE	BLACK
EP650GA	AMBER	BLACK
EP650GIO*	I/O MIRROR	BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Volcano & Volcano Plus™



CSA CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EP675C



EP675GS



EP675GA

UNIVERSAL COMFORT BRIDGE

FEATURES & BENEFITS

- ▶ Popular sleek frameless design
- ▶ One single lens provides a wide field of vision
- ▶ Dual injection, wide temple arms for improved comfort and fit
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Plus™ version available with removable foam padding for better protection against dust and debris

PART NO WITHOUT FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP675C	CLEAR	BLACK & RED
EP675S	SMOKE	BLACK & RED
EP675A	AMBER	BLACK & RED
EP675I0*	I/O MIRROR	BLACK & RED
PART NO WITH FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP675GC	CLEAR	BLACK & RED
EP675GS	SMOKE	BLACK & RED
EP675GA	AMBER	BLACK & RED
EP675GI0*	I/O MIRROR	BLACK & RED

* Indoor/Outdoor Mirror lenses are not anti-fog

Spectagoggle™



CS CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP900S



Interchangeable temple

HEAVY DUTY PERFORMANCE

FEATURES & BENEFITS

- ▶ FR foam padding forms a seal to keep out dust and airborne particles
- ▶ Interchangeable temple/strap included with each pair
- ▶ Strap has quick fit retainer for easy on/off
- ▶ Designed to allow air to flow freely to reduce heat
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP900C	CLEAR	BLACK
EP900S	SMOKE	BLACK
EP900A	AMBER	BLACK
EP900IO*	I/O MIRROR	BLACK

* Indoor/Outdoor Mirror lenses are not anti-fog

Spectagoggle™ Mini



CS CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP950A



Interchangeable temple

LIGHT & MEDIUM DUTY PERFORMANCE

FEATURES & BENEFITS

- ▶ Removable foam padding forms a seal to keep out dust and airborne particles
- ▶ Interchangeable temple/strap included with each pair
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	FRAME COLOR
SAFETY GLASSES EP950C	CLEAR	CLEAR
EP950S	SMOKE	SMOKE
EP950A	AMBER	AMBER
EP950IO*	I/O MIRROR	SMOKE

* Indoor/Outdoor Mirror lenses are not anti-fog

Phantom OTG™



CSA CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPMK01A



EPMK01C



EPMK01SHIELD

MAXIMUM COMFORT AND PROTECTION

FEATURES & BENEFITS

- ▶ Wide one-piece OTG polycarbonate lens can be used over prescription eyewear
- ▶ Hidden indirect ventilation holes for protection against chemical splashes
- ▶ Soft TPR shroud in a nylon outer frame for maximum comfort
- ▶ Fabric strap made of FR material
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Available shield attachment for added splash protection against dust and debris

PART NO	LENS COLOR	FRAME COLOR
EPMK01C	CLEAR	BLACK
EPMK01S	SMOKE	BLACK
EPMK01A	AMBER	BLACK
EPMK01IO*	I/O MIRROR	BLACK

COMBO AND REPLACEMENT SHIELD

PART NO	DESCRIPTION
EPMK01SHIELD	PHANTOM OTG CLEAR GOGGLE WITH CLEAR SHIELD AND FR FABRIC HEADBAND
EPMK01RS	REPLACEMENT SHIELD, CLEAR FOR EPMK01SHIELD COMBO

* Indoor/Outdoor Mirror lenses are not anti-fog



EPMK01SHIELD shown with EPMK01C

Chem Pro™ & Ultra Tek™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EP30



EP40

CHEMICAL SPLASH & SOLVENT PROTECTION

FEATURES & BENEFITS

Chem Pro™

- ▶ Soft, lightweight PVC frame design
- ▶ Four cap vents provide indirect ventilation for protection against chemical splashes
- ▶ Neoprene strap for better resistance to solvents and chemicals
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

Ultra Tek™

- ▶ Same as Chem Pro™ series, plus:
- ▶ Maximum panoramic and peripheral field of vision
- ▶ Large OTG frame designed to fit over prescription eyewear

PART NO	LENS COLOR	FRAME COLOR
EP30	CLEAR	GREEN
EP40	CLEAR	GREEN

Chem Splash™



ANTI-SCRATCH

ANTI-UV

ANTI-STATIC



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



EP20

CHEMICAL SPLASH PROTECTION

FEATURES & BENEFITS

- ▶ Large and comfortable soft frame design
- ▶ Indirect ventilation for protection against chemical splashes
- ▶ Wide one-piece clear lens
- ▶ 3A coating: anti-scratch, anti-UV and anti-static

PART NO	LENS COLOR	FRAME COLOR
EP20	CLEAR	GREEN

SUPERIOR SAFETY & ENHANCED FEATURES

Zenon Z12™ | Zenon Z13™ | Zenon Z14SN™



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



250-01-0021

RUBBER
TEMPLE TIPS



250-06-5521

RUBBER
NOSE BRIDGE



250-08-0020

FRAMELESS UNOBSTRUCTED PERIPHERAL VISION

FEATURES & BENEFITS

- ▶ Popular style fits most workers and applications
- ▶ Flexible rubber temples and comfortable rubber nose bridge on the Z14SN™

PART NO	LENS COLOR	COATING	FRAME COLOR
Z12™ SERIES			
250-01-0021	GREY	ANTI-SCRATCH / ANTI-FOG	BLACK
250-01-0900	CLEAR	ANTI-SCRATCH	CLEAR
250-01-0920	CLEAR	ANTI-SCRATCH / ANTI-FOG	CLEAR
Z13™ SERIES			
250-06-0020	CLEAR	ANTI-SCRATCH / ANTI-FOG	CLEAR
250-06-0002	I/O	ANTI-SCRATCH	CLEAR
250-06-5521	GREY	ANTI-SCRATCH / ANTI-FOG	DARK GREY
Z14SN™ SERIES			
250-08-0020	CLEAR	ANTI-SCRATCH / ANTI-FOG	CLEAR
250-08-0021	GREY	ANTI-SCRATCH / ANTI-FOG	BLACK

Scout™



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



250-99-0980

OVER-THE-GLASS FIT OVER PRESCRIPTION EYEWEAR

FEATURES & BENEFITS

- ▶ Popular visitor spectacles designed to fit over all personal glasses

PART NO	LENS COLOR	COATING	FRAME COLOR
250-99-0980	CLEAR	UNCOATED	CLEAR



Recon™



CS CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



250-32-0521

PREMIER SAFETY EYEWEAR

FEATURES & BENEFITS

- ▶ Lightweight, frameless design for ergonomic fit
- ▶ Flexible bayonet temples contain rubber pads for a secure, non-slip fit

PART NO	LENS COLOR	COATING	FRAME COLOR
250-32-0020	CLEAR	ANTI-SCRATCH / ANTI-FOG	CLEAR
250-32-0021	GREY	ANTI-SCRATCH / ANTI-FOG	BLACK
250-32-0226	I/O BLUE	ANTI-SCRATCH / ANTI-FOG	BROWN
250-32-0031	GRADIENT	ANTI-SCRATCH / ANTI-FOG	BLACK
250-32-0010	CLEAR ANTI-REFLECTIVE PLUS™	ANTI-SCRATCH / ANTI-REFLECTIVE	CLEAR
250-32-0520	CLEAR	ANTI-SCRATCH / FOGLESS [®] 3SIXTY™	CLEAR
250-32-0521	GREY	FOGLESS [®] 3SIXTY™	BLACK

Contempo™ & Softsides™

CS CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS
ANSI Z87.1 REQUIREMENTS



251-5300-400-RHB



248-5190-400B-RHB

SAFETY GOGGLES FOR ALL APPLICATIONS

FEATURES & BENEFITS

Contempo™


- ▶ Modern styling with swivel headband adjustment

Softsides™

- ▶ Soft, flexible vinyl body molds comfortably to the face

PART NO	LENS COLOR	COATING	FRAME COLOR
251-5300-400-RHB	CLEAR	ANTI-SCRATCH / ANTI-FOG	LIGHT BLUE
248-5190-400B-RHB	CLEAR	ANTI-SCRATCH / ANTI-FOG	CLEAR

Counter Displays



EPRACK1

EPRACK2

Eyewear displays carefully designed and manufactured to address the needs of our distributors and clients. Featuring a multi-frame capacity with integrated mirror.

FEATURES & BENEFITS

- ▶ EPRACK1 holds 10 pairs of safety glasses
- ▶ EPRACK2 holds 24 pairs of safety glasses
- ▶ Revolves for easy selection
- ▶ Mirror on top for viewing
- ▶ Lightweight

PART NO	DESCRIPTION
EPRACK1	10 PAIR REVOLVING EYEWEAR DISPLAY
EPRACK2	24 PAIR REVOLVING EYEWEAR DISPLAY

Spectacles Cases & Pouch




EP11

EP12

EPPMFB

PART NO	DESCRIPTION
EP11	VINYL CASE WITH SPRING POCKET CLIP AND FASTENING SNAP
EP12	LARGE NYLON SPECTACLES CASE WITH DOUBLE BELT LOOP AND ZIPPER CLOSURE
EPPMFB	MICRO-FIBER CLEANING POUCH BLACK

Spectacles Cord



EP14

PART NO	DESCRIPTION
EP14	SPECTACLES CORD HOLDER

Lens Cleaning Stations



EP16



EP17



EP18

ANTI-FOG | ANTI-STATIC | SILICONE FREE | FAST DRYING

PART NO	DESCRIPTION
EP16	METAL LENS CLEANING STATION - COMPLETE WITH 2 BOTTLES OF 16 OZ (500 ML) EP2216 OF ANTI-FOG CLEANING LIQUID AND 2 BOXES OF CLEANING TISSUES EP21
EP17	DISPOSABLE LENS CLEANING STATION - COMPLETE WITH 1 BOTTLE OF 16 OZ (500 ML) EP2216 OF ANTI-FOG CLEANING LIQUID AND 4 BOXES OF CLEANING TISSUES EP21
EP18	DISPOSABLE LENS CLEANING STATION - COMPLETE WITH 1 BOTTLE OF 8 OZ (250 ML) EP228 OF ANTI-FOG CLEANING LIQUID AND 2 BOXES OF CLEANING TISSUES EP21

Lens Cleaning Products



EP19



EP21



EP22/8

EP22/16



EP22/160

ANTI-FOG | ANTI-STATIC | SILICONE FREE | FAST DRYING

PART NO	DESCRIPTION
EP19	CLEANING TOWELETTES - 100 PER DISPOSABLE BOX
EP21	LENS CLEANING TISSUES - 300 PER BOX
EP22/8	FOG-A-WAY LENS CLEANING SOLUTION 8 OZ (250 ML) BOTTLE
EP22/16	FOG-A-WAY LENS CLEANING SOLUTION 16 OZ (500 ML) BOTTLE
EP22/160	FOG-A-WAY LENS CLEANING SOLUTION 1 GALLON (4 L) BOTTLE

High Performance Headgears



EPHG300



EPHG300R



EPHG400R



EPHG700R

TO USE WITHOUT PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Accepts a wide range of faceshield styles
- ▶ Large sparkguard provides excellent protection
- ▶ Cross strap adjusts to allow an exceptional fit
- ▶ Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- ▶ Comes with pinlock or ratchet adjustment for quick, easy and perfect fit
- ▶ Noryl is a very tough material which is resistant to sparks and heat
- ▶ The EPHG300 and EPHG300R are not compatible with the EP919 faceshield series

PART NO	ADJUSTMENT	MATERIAL	USE	FACE SHIELD CROWN
EPHG300	PINLOCK	HDPE	REGULAR	3"
EPHG300R	RATCHET	HDPE	REGULAR	3"
EPHG400R	RATCHET	NORYL	SPARKS / HIGH HEAT	4"
EPHG700R	RATCHET	NORYL	SPARKS / HIGH HEAT	7"

High Performance Cap Mounted Headgears & Chin Protector



EPHG401R



EPHGC500 shown with EPHG401R headgear and EP919PFT40 visor



EPHG701R



EPHGC500

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Accepts a wide range of faceshield styles
- ▶ Large sparkguard provides excellent protection
- ▶ Includes 1 EPHC01 Cap Lock kit complete with blades for slotted cap
- ▶ Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- ▶ Noryl is a very tough material which is resistant to sparks and heat

PART NO	MATERIAL	USE	FACE SHIELD CROWN
EPHG401R	NORYL	SPARKS / HIGH HEAT	4"
EPHG701R	NORYL	SPARKS / HIGH HEAT	7"

CHIN PROTECTOR TO USE WITH ALL TYPES OF HEADGEARS

PART NO	MATERIAL	USE
EPHGC500	NORYL	SPARKS / HIGH HEAT

High Performance Faceshield Brackets



EPB101



EPB101VD



EPB101EB



EPB101EBD



EPB102



EPB103



EPB201



EPB301



EPB201VD


TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Accepts a wide range of faceshield styles
- ▶ Attachment system designed to accommodate many competitors' faceshields
- ▶ Swivel system to raise or lower faceshield

PART NO	DESCRIPTION
EPB101	PLASTIC BRACKET, DIELECTRIC WITH BLADES FOR SLOTTED HARD HATS
EPB101EB	UNIVERSAL BRACKET, FITS MOST HARD HATS AND VISORS
EPB101EBD	UNIVERSAL BRACKET WITH INTEGRATED GASKET FOR APPLICATIONS THAT GENERATE AIRBORNE, DUST AND DEBRIS
EPB101VD	PLASTIC BRACKET, DIELECTRIC WITH BLADES FOR SLOTTED HARD HATS, WITH DEBRIS CONTROL RUBBER COVER
EPB102	HIGH PERFORMANCE DIELECTRIC FACESHIELD BRACKET IN PLASTIC, TO BE USED WITH FULL BRIM HARD HATS
EPB103	HIGH PERFORMANCE FACESHIELD BRACKET, TO BE USED WITH DYNAMIC® ROCKY™ SAFETY HELMETS
EPB201	ALUMINUM BRACKET, HEAT RESISTANT, WITH CAM-LOCK SYSTEM
EPB201VD	ALUMINUM BRACKET, HEAT RESISTANT, WITH CAM-LOCK SYSTEM WITH DEBRIS CONTROL RUBBER COVER
EPB301	HIGH PERFORMANCE HEAT RESISTANT ALUMINUM FACESHIELD BRACKET, WITH CAM-LOCK SYSTEM, FITS MOST WIDE BRIM HARD HATS

Cap Lock Adapter Kit



EPHC01

EPHC02


TO USE WITH HEADGEAR, BRACKETS & WELDING HELMETS

FEATURES & BENEFITS

- ▶ To attach welding helmets, headgears or brackets to a hard hat
- ▶ Fits easily on to most hard hats with slots
- ▶ Quick and easy snap on and off feature
- ▶ Will accommodate narrow welding helmet if used with the extension

PART NO	DESCRIPTION
EPHC01	CAP LOCK ADAPTOR KIT WITH EXTENSION PIECES
EPHC02	CAP LOCK BLADES ONLY

High Performance Faceshield Visors



EP815PF

EP816PFG

EP919PF


FORMED WINDOWS

FEATURES & BENEFITS


- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PF/40	8 x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP815PFG/40	8 x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP815PF/60	8 x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP815F/60	8 x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
EP816PF/40	8 x 16.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP816PFG/40	8 x 16.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP816PF/60	8 x 16.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP816PFG/60	8 x 16.5"	POLYCARBONATE	GREEN	0.060 in /1.5 mm
EP816F/60	8 x 16.5"	PETG	CLEAR	0.060 in /1.5 mm
EP919PF/40	9.5 x 20"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP919PFG/40	9.5 x 20"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP919PF/60	9.5 x 20"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP919F/60	9.5 x 20"	PETG	CLEAR	0.060 in /1.5 mm
EP919PFG/60	9.5 x 20"	POLYCARBONATE	GREEN	0.060 in /1.5 mm

High Performance Faceshield Visors



EP815PFGT



EP919PFGT

FORMED WINDOWS (SPECIALITIES)

FEATURES & BENEFITS

- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain
- ▶ Include chin guard attachment points for EPHGC500

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PFT/40	8 x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP815PFT/60	8 x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP815PFGT/40	8 x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP815PFGT/60	8 x 15.5"	POLYCARBONATE	GREEN	0.060 in /1.5 mm
EP919PFGT/40	9.5 x 20"	POLYCARBONATE	GREEN	0.040 in /1.0 mm

High Performance Faceshield Visors



EP815PM



EP919MG5



EP919MG



EP919M

MOLDED WINDOWS

FEATURES & BENEFITS

- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PM/60	8 x 15"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP815PMG/60	8 x 15"	POLYCARBONATE	GREEN	0.060 in /1.5 mm
EP815PMG3/60	8 x 15"	POLYCARBONATE	GREEN SHADE 3	0.060 in /1.5 mm
EP815PMG5/60	8 x 15"	POLYCARBONATE	GREEN SHADE 5	0.060 in /1.5 mm
EP919M/60	9.5 x 20"	PETG	CLEAR	0.060 in /1.5 mm
EP919MG/60	9.5 x 20"	PETG	GREEN	0.060 in /1.5 mm
EP919MG3/60	9.5 x 20"	PETG	GREEN SHADE 3	0.060 in /1.5 mm
EP919MG5/60	9.5 x 20"	PETG	GREEN SHADE 5	0.060 in /1.5 mm

High Performance Faceshield Visors



EP615




EP815



EP1015PG



EP816



EP919PG

FLAT DIE-CUT WINDOWS

FEATURES & BENEFITS


- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP615/40	6 x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
EP815/40	8 x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
EP815/60	8 x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
EP815P/40	8 x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP815PG/40	8 x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP815P/60	8 x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP1015/40	10 x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
EP1015/60	10 x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
EP1015P/40	10 x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP1015PG/40	10 x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP1015P/60	10 x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP816/40	8 x 16.5"	PETG	CLEAR	0.040 in /1.0 mm
EP816/60	8 x 16.5"	PETG	CLEAR	0.060 in /1.5 mm
EP816P/40	8 x 16.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP816PG/40	8 x 16.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP816P/60	8 x 16.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP919/40	9.5 x 20"	PETG	CLEAR	0.040 in /1.0 mm
EP919/60	9.5 x 20"	PETG	CLEAR	0.060 in /1.5 mm
EP919P/40	9.5 x 20"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP919PG/40	9.5 x 20"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP919P/60	9.5 x 20"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm

Wire Mesh Visor



EPWM815



Steel Wire Mesh: The product of choice for forestry and lumber applications. The screen mesh provides air circulation.

Faceshield for landscaping, forestry workers, pruners etc. Can be worn with any brackets or in combination with our hearing protectors.

PART NO	DESCRIPTION
EPWM815	WIRE MESH VISOR OF 8" x 15.5"

Dyna-Star™ Full Graphic Welding Helmets



EP4209G10AD/A



EP4209G10AD/B



EP209G10AD/C

TO USE WITHOUT PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Thermoplastic welding helmet
- ▶ Wide vision impulse auto darkening filter plus cover plate
- ▶ Sure-Lock ratchet headgear suspension
- ▶ Choice of 3 different graphic styles: **A** Flame, **B** Face Off or **C** Volcano

PART NO	FRONT	LENS SHADE	LENS SIZE
EP209G913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4209G913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"

Classic Welding Helmets



EP209B10AD



EP4209S10AD

TO USE WITHOUT PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Thermoplastic welding helmet
- ▶ Wide vision impulse auto darkening filter plus cover plate
- ▶ Sure-Lock ratchet headgear suspension

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP209B913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"	BLACK
EP209S913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"	SILVER


TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS


- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP4209B913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"	BLACK
EP4209S913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25 x 4.5"	SILVER


SuperTuff™ Black Basic Welding Helmets



EP101



EP109



EP4106

TO USE WITHOUT PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Black thermoplastic welding helmet
- ▶ Sure-Lock ratchet headgear suspension
- ▶ Available in black

PART NO	FRONT	LENS SHADE	LENS SIZE
EP101	FIXED	POLYCARBONATE SHADE 10	2 x 4.25"
EP106	LIFT	POLYCARBONATE SHADE 10	2 x 4.25"
EP109	FIXED	POLYCARBONATE SHADE 10	4.5 x 5.25"

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4101	FIXED	POLYCARBONATE SHADE 10	2 x 4.25"
EP4106	LIFT	POLYCARBONATE SHADE 10	2 x 4.25"
EP4109	FIXED	POLYCARBONATE SHADE 10	4.5 x 5.25"

Dyna-Weld™ Class 2 Welding Helmets



EP509



EP7101



TO USE WITHOUT PROTECTIVE CAPS

FEATURES & BENEFITS

- ▶ The only class 2 welding helmet on the market
- ▶ Made of black thermoplastic
- ▶ Sure-Lock ratchet headgear suspension

PART NO	FRONT	LENS SHADE	LENS SIZE
EP501	FIXED	POLYCARBONATE SHADE 10	2 x 4.25"
EP509	FIXED	POLYCARBONATE SHADE 10	4.5 x 5.25"

TO USE WITH PROTECTIVE CAPS

FEATURES & BENEFITS


- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE
EP7101	FIXED	POLYCARBONATE SHADE 10	2 x 4.25"
EP7109	FIXED	POLYCARBONATE SHADE 10	4.5 x 5.25"

Welding Filter Lens & Cover Plates



EP189



EP45P50



EP24P100



EP45CP50



EP24CP100



EP190

HIGH QUALITY MAGNIFIER'S GLASS

PART NO	SIZE	DIOPTER
EP189/150	2 x 4.25"	1.5
EP189/175	2 x 4.25"	1.75
EP189/200	2 x 4.25"	2.00

MAGNIFIER'S POLYCARBONATE

PART NO	SIZE	DIOPTER
EP182/150	2 x 4.25"	1.5
EP182/175	2 x 4.25"	1.75
EP182/200	2 x 4.25"	2.00

REPLACEMENT POLYCARBONATE FILTER PLATES

PART NO	SIZE	SHADE
EP24P100	2 x 4.25"	9, 10, 11 OR 12
EP45P50	4.5 x 5.25"	9, 10, 11 OR 12

SAFETY COVER PLATES

PART NO	SIZE	MATERIAL
EP24CP100	2 x 4.25"	POLYCARBONATE
EP45CP50	4.5 x 5.25"	POLYCARBONATE

AUTO DARKENING FILTER (ADF) CASSETTE

PART NO	SIZE	SHADE
EP190	4.5 x 5.25"	VARIABLE, SHADE 9 TO 13

Headgear & Faceshield Compatibility Chart

HEADGEAR	EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFGT40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816F60, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP816PG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919M60, EP919MG60, EP919MG360, EP919MG560, EP919MGAF60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 & EP919PG40
-----------------	--

Bracket & Faceshield Compatibility Chart

<p>PLASTIC BRACKET</p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFGT40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816F60, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP816PG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919M60, EP919MG60, EP919MG360, EP919MG560, EP919MGAF60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 & EP919PG40</p>
<p>ALUMINUM BRACKET</p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFGT40, EP815PFT40, EP815PG40, EP815T40, EP81640, EP81660, EP816F40, EP816F60, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP816PG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 & EP919PG40</p>
<p>BRACKET WITH EARMUFF</p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFGT40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816F60, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP816PG40, EP101540, EP101560, EP1015P40, EP1015P60 & EP1015PG40</p>



FOR OUR COMPLETE LINE
OF SAFETY PRODUCTS
GO TO WWW.PIPCANADA.CA



HAND & ARM
PROTECTION



PROTECTIVE
GARMENTS



EYE & HEARING
PROTECTION



FOOT
PROTECTION



HEAD
PROTECTION



RESPIRATORY
PROTECTION



FALL
PROTECTION



FIRST AID
PRODUCTS



IDENTIFICATION
PRODUCTS



PIP Canada Ltd.

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca